

A U S T I N C I T Y C O U N C I L

AGENDA



Thursday, June 22, 2006

#93PH

+ Back

**Zoning Ordinances/Restrictive Covenants
RECOMMENDATION FOR COUNCIL ACTION**

Subject: C14-05-0176 - Shropshire Dessau Retail Tract 1 - Approve second/third readings of an ordinance amending Chapter 25-2 of the Austin City Code by rezoning property locally known as 11801 block of Dessau Road (Walnut Creek Watershed) from development reserve (DR) district zoning to community commercial-conditional overlay (GR-CO) combining district zoning with conditions. First reading approved on May 18, 2006. Vote: 4-1 (Alvarez-Nay; Thomas, Kim off the dais). Applicant: Complete Real Estate SVC, Inc. (David Schoenemann). Agent: Thrower Design (Ron Thrower). City Staff: Sherri Sirwaitis, 974-3057.

<p>Additional Backup Material (click to open)</p> <p>D Staff Report</p>

For More Information: Sherri Sirwaitis, 974-3057.

SECOND/THIRD READING SUMMARY SHEET

ZONING CASE NUMBER: C14-05-0176 (Shropshire Dessau Retail Tract 1)

REQUEST:

Approve second/third readings of an ordinance amending Chapter 25-2 of the Austin City Code, zoning the property locally known as 11801 Block of Dessau Road from DR, Development Reserve District, zoning to GR-CO, Community Commercial-Conditional Overlay District, zoning.

The ordinance and public restrictive covenant reflect those conditions imposed by Council on 1st reading.

PROPERTY OWNER: Complete Real Estate SVC, Inc. (David Schoenemann)

AGENT: Thrower Design (Ron Thrower)

DEPARTMENT COMMENTS:

The property in question is undeveloped and moderately vegetated. The applicant is requesting a rezoning to develop retail uses, a restaurant, and bank on the site.

The staff presents an alternate recommendation of LR, Neighborhood Commercial District, zoning for this tract of land because the location of the property meets the purpose statement of the LR district as it is situated at the entrance to a residential neighborhood. The LR district site development regulations and performance standards are designed to ensure that the use is compatible and complementary in scale and appearance with a residential environment. Neighborhood Commercial zoning would be appropriate at this location because the property is located at the intersection of a collector street and a major arterial roadway. The proposed commercial zoning will provide services to the surrounding residential areas to the northwest and southeast of Dessau Road. There is an existing creek bed located to the north of the site under consideration that will maintain a physical buffer for the proposed commercial uses from the single-family residential neighborhood to the north and west.

The applicant agrees with the City Council's recommendation at first reading.

The applicant's transportation engineers have provided the staff with a Technical Memorandum regarding the City Council's questions at first reading (Attachment B). The staff is in the process of reviewing this information and will provide comments concerning the Council member's questions about transportation issues in this case in a separate memo.

DATE OF FIRST READING/VOTE: May 18, 2006 / Approved ZAP recommendation of GR-CO zoning on first reading with additional conditions of 70% impervious cover maximum, make median cut on Shropshire compatible with driveway entrance to Tract 2 (property in case C14-05-0177), direct Transportation staff to analyze trip limitation for site and bring back information at 2nd/3rd

readings (on June 22nd), and direct Transportation staff to bring back plan to lower the speed limit below 50 miles per hour on Dessau Road or to make a report to support the 50 miles per hour speed on Dessau Road at 2nd/3rd readings of the case (4-1, Thomas/Kim-off dias, Alvarez-nay); Leffingwell-1st, Dunkerley-2nd.


CITY COUNCIL DATE: June 22, 2006


CITY COUNCIL ACTION:

ASSIGNED STAFF: Sherri Sirwaitis

PHONE: 974-3057

sherri.sirwaitis@ci.austin.tx.us



SUBJECT TRACT 
 PENDING CASE 
 ZONING BOUNDARY 
 CASE MGR: S. SIRWAITIS

CASE #: C14-05-0176
ADDRESS: DESSAU RD
SUBJECT AREA (acres): 0.490

ZONING EXHIBIT B

DATE: 05-10
 INTLS: SM

CITY GRID
 REFERENCE
 NUMBER
 N31

1" = 400'

ORDINANCE NO. _____

1 **AN ORDINANCE REZONING AND CHANGING THE ZONING MAP FOR THE**
2 **PROPERTY LOCATED AT THE 11801 BLOCK OF DESSAU ROAD FROM**
3 **DEVELOPMENT RESERVE (DR) DISTRICT TO COMMUNITY**
4 **COMMERCIAL-CONDITIONAL OVERLAY (GR-CO) COMBINING DISTRICT.**

5
6 **BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:**
7

8 **PART 1.** The zoning map established by Section 25-2-191 of the City Code is amended to
9 change the base district from development reserve (DR) district to community commercial-
10 conditional overlay (GR-CO) combining district on the property described in Zoning Case
11 No. C14-05-0176, on file at the Neighborhood Planning and Zoning Department, as
12 follows:

13
14 A 6.49 acre tract of land, more or less, out of Lot 1, Block A, Copperfield Section
15 One, Phase G Subdivision, the tract of land being more particularly described by
16 metes and bounds in Exhibit "A" incorporated into this ordinance (the "Property"),

17
18 locally known as 11801 Block of Dessau Road, in the City of Austin, Travis County,
19 Texas, and generally identified in the map attached as Exhibit "B".
20

21 **PART 2.** The Property within the boundaries of the conditional overlay combining district
22 established by this ordinance is subject to the following conditions:
23

- 24 1. Drive-in service use is prohibited as an accessory use to a restaurant (limited) use and
25 a restaurant (general) use.
26
27 2. Development on the Property may not exceed 70 percent impervious cover.
28
29 3. The following uses are prohibited uses of the Property:

- 30
31 Automotive rentals Automotive repair services
32 Automotive sales Automotive washing (of any type)
33 Bail bond services Business or trade school
34 Business support services Commercial off-street parking
35 Communication services Drop-off recycling collection facility
36 Exterminating services Food preparation
37 Funeral services General retail sales (general)

1 Hotel-motel
2 Indoor sports and recreation
3 Community recreation (public)
4 Group home, Class II
5 Hospital services (limited)
6 Medical offices (exceeding 5000 sq. ft.
7 of gross floor area)
8 Pawn shop services
9 Research services

Indoor entertainment
Community recreation (private)
Congregate living
Hospital services (general)
Residential treatment
Outdoor entertainment
Outdoor sports and recreation
Personal improvement services
Theater

10
11 Except as specifically restricted under this ordinance, the Property may be developed and
12 used in accordance with the regulations established for the community commercial (GR)
13 base district and other applicable requirements of the City Code.

14
15 **PART 3.** This ordinance takes effect on _____, 2006.

16
17
18 **PASSED AND APPROVED**

19
20
21
22 _____, 2006

§
§
§

Will Wynn
Mayor

23
24
25
26
27 **APPROVED:** _____

ATTEST: _____

28 David Allan Smith
29 City Attorney

Shirley A. Gentry
City Clerk

EXHIBIT "A"
LEGAL DESCRIPTION

FIELD NOTES DESCRIBING 6.49 ACRES OF LAND, BEING ALL OF LOT ONE (1), BLOCK A, COPPERFIELD SECTION ONE, PHASE G, A SUBDIVISION IN TRAVIS COUNTY, TEXAS, RECORDED IN VOLUME 85, PAGE 197D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, SAID 6.49 ACRES OF LAND TO BE MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at an iron rod found at a point in a curve of the northeast right-of-way line of Shropshire Boulevard at a corner point of that certain N. P. C. Tract recorded in Volume 6859, Page 106 of the Deed Records of said county, for the northwest corner of said 6.49 acres and for the **POINT OF BEGINNING** hereof;

THENCE with the south line of said N. P. C. Tract and the north line of said Lot 1, the following eight (8) courses;

- 1) North 79 degrees 20 minutes 00 seconds East a distance of 36.95 feet to a point;
- 2) North 66 degrees 10 minutes 00 seconds East a distance of 140.00 feet to a point;
- 3) South 45 degrees 10 minutes 00 seconds East a distance of 113.00 feet to a point;
- 4) North 55 degrees 50 minutes 00 seconds East a distance of 120.00 feet to a point;
- 5) North 04 degrees 25 minutes 00 seconds East a distance of 236.00 feet to a point;
- 6) North 52 degrees 44 minutes 43 seconds East a distance of 363.71 feet to a point;
- 7) North 77 degrees 45 minutes 00 seconds East a distance of 170.00 feet to a point;
- 8) North 88 degrees 37 minutes 45 seconds East a distance of 176.18 feet to an iron rod found at a point in the west line of that certain Clinton F. Sayers, Trustee tract recorded in Volume 8361, Page 795 of said records, for the northeast corner of said 6.49 acres and for the northeast corner hereof;

THENCE with the west line of said Sayers tract and the east line of said Lot 1, the following three (3) courses;

- 1) South 17 degrees 30 minutes 16 seconds West a distance of 76.91 feet to an iron rod set;
- 2) South 18 degrees 49 minutes 06 seconds West a distance of 162.98 feet to an iron rod found;
- 3) South 18 degrees 11 minutes 57 seconds West a distance of 186.30 feet to an iron rod set at a point in the north right-of-way line of Dessau Road, for the southeast corner of said 6.49 acres and for the southeast corner hereof;

THENCE with said right-of-way line and the south line of said Lot 1, the following two (2) courses;

- 1) South 68 degrees 11 minutes 08 seconds West a distance of 421.67 feet to an iron rod set at a point of curvature of a curve to the left;
- 2) with said curve, whose radius is 556.31 feet, an arc distance of 289.54 feet and a chord bearing of South 53 degrees 16 minutes 23 seconds West a distance of 286.28 feet to an iron rod set at a point of reverse curve at the intersection of said Dessau Road and said Shropshire Boulevard, for the southwest corner of said 6.49 acres and for the southwest corner hereof;

THENCE with said Boulevard the following three (3) courses;

- 1) with said curve, to the right whose radius is 15.00 feet an arc distance of 23.76 feet and a chord bearing of South 83 degrees 45 minutes 08 seconds West a distance of 21.35 feet to an iron rod found at a point of tangent;
- 2) North 50 degrees 50 minutes 00 seconds West a distance of 156.65 feet to an iron rod found at a point of curvature of a curve to the right;
- 3) with said curve, whose radius is 525.65 feet, an arc distance of 141.14 feet and a chord bearing of North 43 degrees 09 minutes 07 seconds West a distance of 140.71 feet to the **POINT OF BEGINNING** and containing 6.49 acres of land, more or less.

THIS LEGAL DESCRIPTION IS TO BE USED IN CONJUNCTION WITH THE ATTACHED SURVEY PLAT (BY SEPARATE INSTRUMENT), ONLY.

Leo S. Bond
Leo S. Bond
TX R.P.L.S. No. 5793
Job No. A0923105



September 29, 2005
Date

ZONING CHANGE REVIEW SHEET

CASE: C14-05-0176

Z.A.P. DATE: March 21, 2006
April 18, 2006

ADDRESS: 11801 Block of Dessau Road

OWNER/APPLICANT: Complete Real Estate SVC, Inc. (David Schoenemann)

AGENT: Thrower Design (Ron Thrower)

ZONING FROM: DR

TO: GR

AREA: 6.490 acres

SUMMARY STAFF RECOMMENDATION:

The staff's recommendation is to grant LR, Neighborhood Commercial District, zoning. This recommendation includes a public restrictive covenant to encompass the Transportation Impact Analysis (TIA) recommendations provided in Attachment A.

ZONING AND PLATTING COMMISSION RECOMMENDATION:

3/21/06: Postponed to April 18, 2006 by the neighborhood (8-0, J. Martinez-absent);
M. Hawthorne-1st, J. Pinnelli-2nd.

4/18/06: Approved GR-CO zoning with the following conditions: permit Restaurant (General) and Financial Services as only 'GR' district uses, limit site to all other 'LR' district uses, prohibit drive-through services associated with Restaurant (General) and Restaurant (Limited) uses; include the TIA recommendations in a public restrictive covenant (7-0, S. Hale, J. Martinez-left early); K. Jackson-1st, J. Pinnelli-2nd.

DEPARTMENT COMMENTS:

The property in question is undeveloped and moderately vegetated. The applicant is requesting a rezoning to develop retail uses, a convenience store and office use on the site.

The staff presents an alternate recommendation of LR, Neighborhood Commercial District, zoning for this tract of land because the location of the property meets the purpose statement of the LR district as it is situated at the entrance to a residential neighborhood. The LR district site development regulations and performance standards are designed to ensure that the use is compatible and complementary in scale and appearance with a residential environment. Neighborhood Commercial zoning would be appropriate at this location because the property is located at the intersection of a collector street and a major arterial roadway. The proposed commercial zoning will provide services to the surrounding residential areas to the northwest and southeast of Dessau Road. There is an existing creek bed located to the north of the site under consideration that will maintain a physical buffer for the proposed commercial uses from the single-family residential neighborhood to the north and west.

EXISTING ZONING AND LAND USES:

	ZONING	LAND USES
Site	DR	Undeveloped
North	DR, SF-2	Undeveloped (Creek Bed-Existing Drainage Area), Single-Family Residential Uses
South	SF-2, PUD	Single-Family Residential Uses (New homes built in Pioneer Crossing PUD)
East	MF-3-CO	Undeveloped
West	DR, SF-2	Undeveloped Tract, Single-Family Residential Uses

AREA STUDY: N/A

TIA: Required

WATERSHED: Walnut Creek

DESIRED DEVELOPMENT ZONE: Yes

CAPITOL VIEW CORRIDOR: N/A **HILL COUNTRY ROADWAY:** N/A

NEIGHBORHOOD ORGANIZATIONS:

- 51 - Northeighborhood
- 114 - North Growth Corridor Alliance
- 511 - Austin Neighborhoods Council
- 643 - NorthEast Action Group
- 937 - Taking Action, Inc.

CASE HISTORIES:

NUMBER	REQUEST	COMMISSION	CITY COUNCIL
C14-05-0124	I-RR to GR	Pending	Pending
C14-05-0065.SH	I-RR to MF-2	7/05/05: Approved staff's recommendation for MF-2-CO district zoning with the conditional overlay limiting the site to 2,000 vehicle trips per day, requiring the dedication of 70 feet of right-of-way from the existing/future centerline of Dessau Road in accordance with the Transportation Plan, and limiting development on the site to a maximum of 248 residential units (7-1, B. Baker-Nay, M. Whaley-Absent)	8/18/05: Approved ZAP recommendation of MF-2-CO (7-0); 1 st reading 8/25/05: Approved MF-2-CO with conditions by consent (7-0); 2 nd /3 rd readings
C14-05-0036	DR, DR-H, PUD to P-H	4/19/05: Approved staff rec. of P and P-H by consent (6-0-1, BB-abstain)	5/12/05: Approved P and P-H by consent (7-0); 1 st reading
C14-04-0056	I-RR to SF-2, SF-6, MF-3, CS	11/02/04: Approved staff's recommendation of SF-2-CO, SF-6, MF-3, LR, LR-MU, GR, GR-MU zoning by consent (9-0)	12/16/04: Granted SF-2-CO, SF-6, MF-3, LR-MU, GR and GR-MU (7-0); all 3 readings

C14-04-0127	GR-CO to GR	10/19/04: Approved staff's recommendation of GR-CO zoning by consent (9-0)	11/18/04: Granted GR-CO (7-0); all 3
C14-03-0001	DR to LO	1/28/03: Approved staff's recommendation of LO-CO zoning, w/2,000 trip limit (8-0, J. Donisi-absent)	2/27/03: Granted LO-CO on all 3 (6-0, Goodman-out of room)
C14-00-2241	GR to GR	1/09/01: Approved staff rec. of GR-CO, limiting the site to 2,000 vtpd and prohibiting Automotive Rentals, Automotive Repair Services, Automotive Sales, Business or Trade School, Business Support Services, Commercial Off-Street Parking, Communication Services, Drop-Off Recycling Collection Facility, Exterminating Services, Funeral Services, General Retail Sales (Convenience), General Retail Sales (General), Hotel/Motel, Hospital Services (General), Indoor Entertainment, Indoor Sports and Recreation, Outdoor Entertainment, Outdoor Sports and Recreation, Pawn Shop Services, Personal Improvement Services, Research Services, Theater, Restaurant (Drive-In, Fast Food), Restaurant (General); (8-0)	2/08/01: Approved GR-CO on all 3 readings (6-0)
C14-00-2101	DR to CS	8/1/00: Approved staff rec. w/ condition of no Adult Oriented Businesses (8-0)	9/28/00: Approved GR-CO w/ conditions on TR 1 & 2 (7-0); all 3 readings
C14H-00-0005	DR to DR-H	9/12/00: Approved staff rec. by consent (6-0)	10/5/00: approved DR-H (5-0); all 3 readings
C14-99-2028	DR to GR	9/21/99: Approved staff rec. of GR-CO, limiting the site to 2,000 vtpd and prohibiting Automotive Rentals, Automotive Repair Services, Automotive Sales, Automotive Washing, Business or Trade School, Business Support Services, Commercial Off-Street Parking, Communication Services, Drop-Off Recycling Collection Facility, Exterminating Services, Funeral Services, General Retail Services, Hotel/Motel, Hospital Services (General), Indoor Entertainment, Indoor Sports and Recreation, Outdoor Entertainment,	12/02/99: Approved Commission Rec. of GR-CO, but modified rec. to allow Restaurants (5-1, GG-Nay, WL-absent); 1 st reading 12/16/99: Approved GR-CO (7-0); 2 nd /3 rd readings

		Outdoor Sports and Recreation, Pawn Shop Services, Personal Improvement Services, Research Services, Restaurant (Drive-In, Fast Food), Theater; (8-0)	
C14-99-0006	I-RR to P	6/08/99: Approved staff rec. of P (6-0)	Approved PC rec. of P (5-0); 1 st reading 1/27/00: Approved P (5-0, Watson-absent, Lewis-out of room); 2 nd /3 rd readings
C14-98-0258	DR to MF-2	10/26/99: Approved staff rec. of MF-2-CO, w/ 400 unit limit, by consent (8-0, BH-off dias)	12/2/99: Approved PC rec. of MF-2-CO w/ conditions (6-0, WL-absent); 1 st reading 1/27/00: Approved 2 nd /3 rd readings by consent (6-0)
C14-98-0257	DR to GR	10/26/99: Approved staff rec. of LO-CO (TR 1, 2, 3) & GR (TR 4 & 5) by consent (8-0, BH-off dias)	12/2/99: Approved PC rec. of LO (TR1), LO-CO (TR 2 & 3) w/ conditions, and GR (TR 4 & 5) (6-0, WL-absent); 1 st reading 1/27/00: Approved 2 nd /3 rd readings by consent (6-0)
C14-98-0126	DR to GR	9/29/98: Approved LR-CO w/ conditions that uses limited to 'NO' uses (9-0)	11/5/98: Approved PC rec. of LR-CO (TRA) & LO-CO (TRB) w/ conditions (6-0); all 3 readings
C14-98-0046	DR to GR-CO	7/14/98: Approved GR-CO; limiting the site to 2,000 vtpd, limit the site to 70% impervious cover, structures 200 feet from the western property line shall not exceed 25 feet in height, and prohibiting Automotive Rentals, Automotive Repair Services, Automotive Sales Automotive Washing, Commercial Off-Street Parking, Pawn Shop Services, (8-0)	8/13/98: Approved PC rec. of GR-CO (6-0); 1 st reading 1/21/99: Approved GR-CO (7-0); 2 nd reading 2/04/99: Approved GR-CO (7-0); 2 nd /3 rd readings
C14-97-0126	DR to GR	12/9/97: Approved GR-CO w/ conditions (5-3)	2/5/98: Approved PC rec. of GR-CO w/ new conditions (5-0); 1 st reading 4/9/98: Approved GR-CO w/ conditions (7-0); 2 nd /3 rd readings
C14-96-0116	DR to GR	10/08/96: Approved staff rec. of GR (9-0)	10/24/96: Approved PC rec. of GR (6-0); 1 st reading 3/06/97: Approved GR (7-0); 2 nd /3 rd readings

RELATED CASES: N/A

ABUTTING STREETS:

Name	ROW	Pavement	Classification	Daily Traffic	Bus Route	Bike Route
Dessau Road	Varies	2 @ 24 ft	MAD 4	1,473 (6/21/04)	Not available within 1/4 mile	Priority 1, Route 228

CITY COUNCIL DATE: May 18, 2006

ACTION: Approved ZAP recommendation of GR-CO zoning on first reading with additional conditions of 70% impervious cover maximum, make median cut on Shropshire compatible with driveway entrance to Tract 2 (property in case C14-05-0177), direct Transportation staff to analyze trip limitation for site and bring back information at 2nd/3rd readings (on June 22nd), and direct Transportation staff to bring back plan to lower the speed limit below 50 miles per hour on Dessau Road or to make a report to support the 50 miles per hour speed on Dessau Road at 2nd/3rd readings of the case (4-1, Thomas/Kim-off dias, Alvarez-nay); Leffingwell-1st, Dunkerley-2nd.

June 22, 2006

ORDINANCE READINGS: 1st 5/18/06

ACTION:

2nd


3rd

ORDINANCE NUMBER:

CASE MANAGER: Sherri Sirwaitis

PHONE: 974-3057,

sherri.sirwaitis@ci.austin.tx.us



 1" = 400'	SUBJECT TRACT 	ZONING	CITY GRID REFERENCE NUMBER N31		
	PENDING CASE 				
	ZONING BOUNDARY 			CASE #: C14-05-0176	
	CASE MGR: S. SIRWAITIS			ADDRESS: DESSAU RD	DATE: 05-10
	SUBJECT AREA (acres): 6.490			INTLS: SM	

STAFF RECOMMENDATION

The staff's recommendation is to grant LR, Neighborhood Commercial District, zoning. This recommendation includes a public restrictive covenant to encompass the Transportation Impact Analysis (TIA) recommendations provided in Attachment A.

BASIS FOR RECOMMENDATION

1. *The proposed zoning should be consistent with the purpose statement of the district sought.*

Neighborhood commercial (LR) district is the designation for a commercial use that provides business service and office facilities for the residents of a neighborhood. Site development regulations and performance standards applicable to a LR district use are designed to ensure that the use is compatible and complementary in scale and appearance with the residential environment.

2. *The proposed zoning should promote consistency and orderly planning.*

The proposed LR zoning is compatible with the surrounding uses because the property is located at the entrance to a residential neighborhood fronting Dessau Road, a major arterial roadway. LR zoning will allow for commercial development that will be compatible with the SF-2 and DR zoning to the north, the MF-3-CO zoning to the east and the PUD zoning to the south.

3. *The proposed zoning should allow for a reasonable use of the property.*

LR zoning will allow for a reasonable use of the property as it will permit a variety of retail and office uses that will provide services to the surrounding residential areas.

4. *Zoning should promote the policy of locating retail and more intensive zoning near the intersections of arterial roadways or at the intersections of arterials and major collectors.*

The proposed LR zoning will be located at the intersection of a major arterial roadway, Dessau Road, and a collector street, Shropshire Boulevard/Braker Lane.

EXISTING CONDITIONS

Site Characteristics

The site under consideration is currently undeveloped. The property slopes to the north and is moderately vegetated.

Hill Country Roadway

The site is not within a Hill Country Roadway Corridor.

Impervious Cover

The maximum impervious cover allowed by the GR zoning district would be 90%. However, because the watershed impervious cover is more restrictive than the zoning district's allowable impervious cover, the impervious cover is limited by the watershed regulations.

Under current watershed regulations, development or redevelopment on this site will be subject to the following impervious cover limits:

<i>Development Classification</i>	<i>% of Net Site Area</i>	<i>% with Transfers</i>
Single-Family (minimum lot size 5750 sq. ft.)	50%	60%
Other Single-Family or Duplex	55%	60%
Multifamily	60%	70%
Commercial	80%	90%

Note: The most restrictive impervious cover limit applies.

Environmental

The site is not located over the Edward's Aquifer Recharge Zone. The site is in the Desired Development Zone. The site is in the Walnut Creek Watershed of the Colorado River Basin, which is classified as a Suburban Watershed by Chapter 25-8 of the City's Land Development Code.

According to flood plain maps, there is no floodplain within, or adjacent to the project boundary.

Standard landscaping and tree protection will be required in accordance with LDC 25-2 and 25-8 for all development and/or redevelopment.

At this time, site specific information is unavailable regarding existing trees and other vegetation, areas of steep slope, or other environmental features such as bluffs, springs, canyon rimrock, caves, sinkholes, and wetlands.

Under current watershed regulations, development or redevelopment on this site will be subject to the following water quality control requirements:

- Structural controls: Sedimentation and filtration basins with increased capture volume and 2 year detention.

At this time, no information has been provided as to whether this property has any pre-existing approvals that preempt current water quality or Code requirements.

Transportation

A traffic impact analysis is required and has been received. Additional right-of-way, participation in roadway improvements, or limitations on development intensity may be recommended based on review of the TIA. [LDC, Sec. 25-6-142]. Comments will be provided in a separate memo.

Water and Wastewater

The landowner intends to serve the site with City of Austin water and wastewater utilities. The landowner, at own expense, will be responsible for providing the water and wastewater utility improvements, system upgrades, offsite main extension, utility adjustments, and relocation. The water and wastewater utility plan must be reviewed and approved by the Austin Water Utility. The plan must be in accordance with the City design criteria. The utility construction must be inspected by the City. The landowner must pay the associated and applicable City fees.

Stormwater Detention

At the time a final subdivision plat, subdivision construction plans, or site plan is submitted, the developer must demonstrate that the proposed development will not result in additional identifiable flooding of other property. Any increase in stormwater runoff will be mitigated through on-site stormwater detention ponds, or participation in the City of Austin Regional Stormwater Management Program if available.

Compatibility Standards

Any development which occurs in an SF-6 or less restrictive zoning district which is located 540-feet or less from property in an SF-5 or more restrictive zoning district will be subject to compatibility development regulations.



DR



Date: June 15, 2006
To: Sherri Sirwaitis, Case Manager
CC: Scott Feldman, Alliance Transportation Group
Reference: Shropshire-Dessau Retail Tract TIA, C14-05-0176/-0177

The Transportation Review Section has reviewed the Traffic Impact Analysis for the Shropshire-Dessau Retail Tract, dated September 2005, prepared by Scott Feldman of Alliance Transportation Group and offers the following comments:

TRIP GENERATION

The Shropshire-Dessau Retail Tract is a 9.59-acre development located in north Austin at the intersection of Shropshire/Braker Lane and Dessau Road.

The property is currently undeveloped and zoned Development Reserve (DR). The applicant has requested a zoning change to Community Commercial (GR) for the entire tract. The estimated completion of the project is expected in the year 2007.

Based on the standard trip generation rates established by the Institute of Transportation Engineers (ITE), the development will generate approximately 4,809 unadjusted average daily trips (ADT).

The table below shows the adjusted trip generation by land use for the proposed development:

LAND USE	Size	ADT	AM Peak	PM Peak
General Office	8,000sf	186	25	82
Shopping Center	20,300sf	2,200	60	145
Convenience Store Open 15-16 hours	3,418sf	N/A	334	93
Drive In Bank	2,400sf	488	30	58
Fast Food with Drive-Thru	3,260sf	1,338	89	57
	Total	4,212	538	435

ASSUMPTIONS

- Background traffic volumes for 2005 included estimated traffic volumes for the following projects:
 - Carmel Valley C14-03-0149
 - Pioneer Crossing C8-98-0115
 - Parmer Park SP-03-0125C
- A growth rate of 1.8% was assumed for all roadways within the study area.

3. Pass-by and Internal capture reductions were taken for the following uses:

Land Use	Pass-By Reductions		Internal Capture Reductions	
	AM	PM	Enter	Exit
General Office	0%	0%	13.3%	1.4%
Shopping Center	0%	34%	21.9%	20.2%
Convenience Store open 15-16 hours	0%	61%	1.7%	3.3%
Drive In Bank	0%	47%	0%	0%
Fast Food with Drive Thru	49%	50%	0%	0%

4. No reductions were taken for transit use.

EXISTING AND PLANNED ROADWAYS

Dessau Road – Dessau Road forms the eastern boundary for this site and is currently constructed as a six-lane major divided arterial. Traffic volumes for Dessau Road south of Parmer Lane were 24,842vpd in 2004.

Shropshire Boulevard – This roadway bisects the proposed site and is currently classified as a 2-lane collector. Adjacent to the subject tracts, Shropshire Boulevard is divided with 20 feet of pavement in the westbound lane and 30 feet of pavement in the eastbound lane. West of the proposed site, Shropshire becomes undivided with a total of 40 feet of pavement. 2005 traffic volumes on Shropshire Boulevard were 3,829vpd.

Braker Lane – Braker Lane forms the eastern leg of the intersection of Dessau Road and Shropshire/Braker. Braker Lane is currently classified as a 4-lane major arterial and the Roadway Plan calls for Braker Lane to be upgraded to a 6-lane major divided roadway by 2025.

INTERSECTION LEVEL OF SERVICE (LOS)

The TIA analyzed 8 intersections, 3 of which are signalized. Existing and projected levels of service are as follows, assuming that all improvements recommended in the TIA are built:

Intersection	2005 Existing		2007 Site + Forecasted	
	AM	PM	AM	PM
Dessau Road and Parmer Lane*	D	D	D	D
Dessau Road and Shropshire/Braker Lane*	D	D	D	D
Dessau Road and Braker Lane*	D	D	D	D
Dessau Road and Driveway 1			A	A
Shropshire Boulevard and Driveway 2			A	A
Shropshire Boulevard and Driveway 3			A	A
Dessau Road and Driveway 4			A	A
Dessau Road and Driveway 5			A	A

*= SIGNALIZED

NEIGHBORHOOD IMPACT ANALYSIS

A neighborhood traffic impact analysis was performed for the portion of Shropshire Boulevard between Dessau Road and Alma Drive. This segment of Shropshire Boulevard is considered a residential collector because at least 50% of the frontage located within 1500 feet or less from the proposed project's property line has an urban family residential district (SF-5) or more restrictive zoning designation. Shropshire Boulevard is currently divided with 20 feet of pavement in the westbound lane and 30 feet of pavement in the eastbound lane directly adjacent to the subject tract. West of the proposed site, Shropshire becomes undivided with a total of 40 feet of pavement. The current traffic volume on Shropshire Boulevard west of Dessau Road is 3,829 vpd. Applying the assumed 1.8% growth rate, in 2007 the traffic volume on Shropshire will be 3,968 vpd.

Section 25-6-116 of the Land Development Code states that traffic on a residential collector street 40 feet or wider is operating at a desirable level if it does not exceed 4,000 vehicle trips per day. Based upon existing and projected traffic volumes on Shropshire Boulevard, the street is currently operating at a desirable level. With the inclusion of site traffic, total traffic on Shropshire west of Dessau will be 4,208 vpd. Site traffic results in a 5.7% increase in total traffic on Shropshire. It is estimated that this new site traffic will exist on Shropshire with or without the two proposed driveways to Shropshire, due to the assumption that the majority of this site traffic will be generated by the adjacent neighborhood. Therefore, elimination of the two driveways proposed to Shropshire will not eliminate the 5.7% increase in total traffic on Shropshire. As a requirement of this development, fiscal will be posted to restripe the eastbound leg of the intersection of Shropshire and Dessau to provide a designated left turn.

RECOMMENDATIONS

1) Prior to 3rd Reading at City Council, fiscal is required to be posted for the following improvements:

Intersection	Improvement	Pro Rata Share Percentage
Dessau Road and Parmer Lane	Add an eastbound left turn lane	4.5%
Dessau Road and Shropshire/Braker Lane	Restripe eastbound thru lane as a left turn lane	67%

- 2) If a median break is proposed in conjunction with access to Driveway 3 from Shropshire Boulevard, the developer is responsible for median break improvements during the site plan process.
- 3) Submittal of 3 copies of the final version of the TIA is required prior to 3rd Reading at City Council.
- 4) Development of this property should be limited to uses and intensities which will not exceed or vary from the projected traffic conditions assumed in the TIA, including peak hour trip generations, traffic distribution, roadway conditions, and other traffic related characteristics.

If you have any questions or require additional information, please contact me at 974-2628.

Amy Link
Sr. Planner - Transportation Review Staff
Watershed Protection and Development Review



TECHNICAL MEMORANDUM

To: Amy Link, Senior Planner
Watershed Development and Development Review Department
505 Barton Springs Road
Austin, Texas 78704

From: Arthur F. Gamble, III, P.E.
Alliance Transportation Group, Inc.
100 East Anderson Lane, Suite 300
Austin, Texas 78752




Date: June 12, 2006

Re: Shropshire Boulevard Driveway Evaluation

Introduction

Alliance Transportation Group, Inc. (ATG) has been contracted to evaluate the impact of moving the northern driveway taking access to Shropshire Boulevard to the northwest edge of the property and constructing a median break to allow left turns. This site is located at the corner of Dessau Road and Shropshire Boulevard in Austin, Texas. The purpose of this study is to determine whether there is adequate sight distance and evaluate the operational level of service of the driveway. Figure 1 shows the intersection of Shropshire and Dessau, property lines, and the proposed driveway location.

Figure1. Proposed Driveway Location



Sight Distance Requirements

AASHTO's A Policy on Geometric Design of Highways and Streets, (the "Green Book") defines sight distance as "... the distance along a roadway that an object of specified height is continuously visible to the driver." For this study, an object height of 4.25 feet is adopted, as specified in the Green Book. The height of the driver's eye is considered to be 3.50 feet above the road surface, with the lateral position of the driver's eye in the stopped vehicle being 14 feet behind the edge of pavement.

Where traffic on the minor road of an intersection is controlled by stop signs, the driver of the vehicle on the minor road must have sufficient sight distance for a safe departure from the stopped position, even though the approaching vehicle comes in view as the stopped vehicle begins its departure movements. There are two basic maneuvers that occur at the average three-legged intersection. These maneuvers are:

- A. To turn left into the crossing roadway by first clearing traffic on the left and then to enter the traffic stream with vehicle from the right; and
- B. To turn right into the intersecting roadway by entering the traffic stream with vehicles from the left.

Sight distances for each maneuver depend on several variables, including the design speed on the major roadway and characteristics of the design vehicle. The speed on the major roadway in this study is posted at 45 mph. The design vehicle is the standard passenger car.

The intersection sight distance requirement for vehicles turning from the minor street onto the major street can be calculated using the following equation

$$ISD = 1.47 * V * T \quad (Ref 1)$$

ISD = Intersection Sight Distance (feet)

V = Speed of major street traffic (mph)

T = Time Gap for minor street vehicles to enter major roadway (seconds).

The sight distance varies for vehicles turning right or left onto the major roadway. Field studies have shown that vehicles turning left onto a major roadway require a larger gap between vehicles than vehicles turning right onto the major roadway. Table 1 shows the required typical gap acceptance time for vehicles turning onto a major roadway

Table 1: Gap Acceptance Time

Design Vehicle	Gap Acceptance Time Left Turn (sec.)	Gap Acceptance Time Right Turn (sec.)
Passenger Car	7.5	6.5
Single-unit truck	9.5	8.5
Combination truck	11.5	11.5

Note: Time gaps are for a stopped vehicle to turn right or left onto a two lane highway with no median and grades 3 percent or less. The tables require adjustment as follows:

For multilane highways:

For left or right turns onto two-way highways with more than two lanes, add 0.5 seconds for passenger cars.

For minor road approach grades:

If the approach grade is an upgrade that exceeds 3 percent; add 0.2 seconds for each percent grade for left turns.

Shropshire is a two lane divided collector, with a posted speed limit of 30 mph. This speed is used to calculate the required intersection sight distance at Shropshire and the driveway.

For **Case A**, the intersection sight distance requirement for vehicles turning left from a minor street onto the major street can be expressed by the following equation:

Gap acceptance time = 7.5 seconds
Major Street Speed = 30 mph

$ISD = 1.47 * 7.5 \text{ seconds} * 30 \text{ mph}$
ISD = 331 feet

For **Case B**, the intersection sight distance requirement for vehicles turning right from a minor street onto the major street can be expressed by the following equation:

Gap acceptance time = 6.5 seconds
Major Street Speed = 30 mph

$ISD = 1.47 * 6.5 \text{ seconds} * 30 \text{ mph}$
ISD = 287 feet

Sight Distance Measurement

The measured sight distance in the field was 612 feet to the northwest and 290 feet to the southeast towards the intersection of Shropshire with Dessau. The measured values shown in **Table 2** exceed the calculated minimum sight distance referenced in the AASHTO Green Book. In addition, vehicles turning from Dessau onto Shropshire are visible from the proposed driveway location as they make the turn and vehicles crossing Dessau from East Braker Lane to Shropshire are visible from the proposed driveway location as they clear the intersection.

Table 2: Sight Distance

Movement	Minimum Required Sight Distance	Measured Sight Distance
Left-turn	331 feet	612 feet
Right-turn	287 feet	290 feet

Operational Study

The current roadway network was studied to establish baseline conditions. This analysis calculates existing intersection Levels of Service and traffic flow in and around the study area. In addition, current intersection deficiencies can be identified during this analysis.

AM and PM peak hour (7-9 am and 4-6 pm) turning movement counts were obtained in August of 2005 at the following intersection. These counts are included in the **Appendix**.

- Shropshire and Dessau

Analysis

As shown in the original TIA, the proposed land use evaluated in this study consists of a mix of retail and office. The expected completion date for the project is 2007. Background traffic volumes for 2007 are based on existing traffic counts collected in August of 2005. Historical traffic data were reviewed to calculate an annual growth rate to apply to the existing counts. This growth rate was determined to be 1.8 percent. The growth rate was applied to the existing counts to arrive at 2007 background traffic.

Entering and exiting volumes were calculated using information from *ITE's Trip Generation Manual, 7th edition*⁽²⁾ and are shown in **Table 3**. The reported volumes are for the peak generation hours for the Shropshire-Dessau Retail Site.

Table 3: Unadjusted ITE Trip Generation

ITE DESCRIPTION	DAILY	AM PEAK VOLS.			PM PEAK VOLS.		
	Total	Total	Enter	Exit	Total	Enter	Exit
General Office	191	25	22	3	88	15	73
Shopping Center	2,409	60	37	23	219	105	114
Convenience Store open 15-16 hours	No data	334	167	167	243	119	124
Drive in Bank	592	30	17	13	110	55	55
Fast Food w/ Drive-Thru	1,617	173	88	85	113	59	54
	4,809	622	331	291	773	353	420

Pass-by trips and internal capture can account for a significant portion of a site's generated traffic. Pass-by trips are attracted to the site from traffic passing on an adjacent street. Internal Capture trips are attracted to the site from other land uses on the site. Due to the site lay out and land uses within this site, adjustments for pass-by trips and internal capture were applied to the data shown in **Table 3** and are shown in **Table 4**. The adjusted volumes are shown in **Table 5**.

Table 4: Pass-by and Internal Capture Rates

ITE DESCRIPTION	PASS-BY		INTERNAL CAPTURE-PM	
	AM	PM	Enter	Exit
General Office	0%	0%	26.7%	2.7%
Shopping Center	0%	34%	0.0%	0.0%
Convenience Store open 15-16 hours	0%	61%	1.7%	3.2%
Drive in Bank	0%	47%	0.0%	0.0%
Fast Food w/ Drive-Thru	49%	50%	0.0%	0.0%

Table 5: Adjusted ITE Trip Generation

ITE DESCRIPTION	DAILY VOLS.	AM PEAK VOLS.			PM PEAK VOLS.		
	Total	Total	Enter	Exit	Total	Enter	Exit
General Office	186	25	22	3	82	11	71
Shopping Center	2,200	60	37	23	145	68	77
Convenience Store open 15-16 hours	No Data	334	167	167	93	44	49
Drive in Bank	444	30	17	13	58	29	29
Fast Food w/ Drive-Thru	1,292	89	46	43	57	31	26
	4,122	538	289	249	435	183	252

Trip distribution is also the same as that shown in the original TIA. The intersection analyses performed for this study are based on the *Highway Capacity Manual, 2000, (HCM)*⁽¹⁾, chapters sixteen and seventeen (16 & 17). These sections discuss the methodology used to determine Level of Service at signalized and un-signalized intersections. Synchro™ version 6.0 is used to evaluate future conditions.

A summary of the analysis results is shown in **Table 6**. Analysis worksheets are provided in the **Appendix**.

Table 6: LOS Analysis

INTERSECTION	PEAK PERIOD	INTERSECTION DELAY	LOS
Shropshire & Dessau	AM	48.4	D
	PM	54.4	D
Shropshire & Driveway	AM	1.1	A
	PM	2.5	A

As indicated in the above table, acceptable operations are projected for the intersections of Dessau and Shropshire as well as Shropshire and the proposed driveway.

Findings and Recommendations

This study has analyzed the proposed driveway relocation on Shropshire for the year 2007. The relocation of this driveway is shown to have little to no impact on the surrounding roadway network and does not require any additional traffic control to operate at an acceptable Level of Service for the 2007 future year.

The measured sight distance at the intersection of the proposed driveway and Shropshire was found to be greater than the minimum calculated sight distance referenced in the AASHTO Green Book.

Based on the analysis performed in this study, it is our recommendation that the driveway location be approved as planned.

If you have any questions related to this matter, please contact me at 821-2081.

Attachments:

Turning Movement Counts
Operational Analysis

Shropshire @ Dessau AM Peak

Start Time	Stop Time	NL	NI	NR	SL	SI	SR	EL	ET	ER	WL	WR	Total	NApproach	SApproach	EApproach	WApproach
7:00 AM	7:15 AM	17	88	4	24	424	7	8	6	61	19	2	10	670	455	75	31
7:15 AM	7:30 AM	17	131	12	21	478	4	7	8	68	18	4	25	794	504	63	47
7:30 AM	7:45 AM	32	134	23	27	446	7	10	8	62	15	4	13	781	480	80	32
7:45 AM	8:00 AM	17	141	22	28	485	7	8	3	85	25	6	13	840	520	96	44
8:00 AM	8:15 AM	21	203	19	15	281	3	14	14	38	25	13	7	633	279	66	45
8:15 AM	8:30 AM	9	144	3	46	224	2	10	18	21	9	7	5	498	272	49	21
8:30 AM	8:45 AM	14	79	4	15	145	3	5	8	14	21	8	1	317	163	27	30
8:45 AM	9:00 AM	14	103	10	11	137	8	3	1	18	16	0	16	337	156	22	32

Peak Hour

7:00 AM	8:00 AM	83	494	61	100	1834	25	33	25	276	77	16	61	3085	1959	334	154
---------	---------	----	-----	----	-----	------	----	----	----	-----	----	----	----	------	------	-----	-----

Shropshire @ Dessau PM Peak

Start Time	Stop Time	NL	NI	NR	SL	ST	SR	EL	ET	ER	WL	WR	Total	NApproach	SApproach	EApproach	WApproach
4:00 PM	4:15 PM	18	165	3	11	75	8	2	6	13	8	10	14	353	94	21	32
4:15 PM	4:30 PM	33	260	10	24	153	5	4	5	23	14	7	34	572	182	32	55
4:30 PM	4:45 PM	45	284	9	32	178	13	2	4	11	13	9	15	615	223	17	37
4:45 PM	5:00 PM	58	293	8	18	135	14	4	4	11	10	6	22	583	167	19	38
5:00 PM	5:15 PM	35	384	14	15	112	10	8	7	10	3	1	7	606	137	25	11
5:15 PM	5:30 PM	42	553	15	15	150	9	12	13	15	17	15	28	884	174	40	60
5:30 PM	5:45 PM	72	464	12	15	140	9	8	4	32	18	16	37	827	164	44	71
5:45 PM	6:00 PM	62	422	23	24	200	13	9	7	19	12	10	31	832	237	35	53

Peak Hour

5:00 PM	6:00 PM	211	1823	64	69	602	41	37	31	76	50	42	103	3149	712	144	195
---------	---------	-----	------	----	----	-----	----	----	----	----	----	----	-----	------	-----	-----	-----

Dessau - Shropshire Driveway Analysis
 8: Shropshire Boulevard & Dessau Road

AM Peak
 Build Out Conditions




	EB	WB	SB	NB	EB	WB	SB	NB	EB	WB	SB	NB
Lane Configurations	↘	↑	↗	↘↗	↗	↘	↑	↑↑	↘	↗	↑↑	↘↗
Total Lost Time (s)	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Satd. Flow (prot)	1770	1863	1583	3433	1626	0	1770	4917	0	1770	5070	0
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	1863	1583	3433	1626	0	1770	4917	0	1770	5070	0
Satd. Flow (RTOR)			130		127			78			4	
Volume (vph)	165	38	287	349	21	117	148	681	195	223	2388	47
Lane Group Flow (vph)	179	41	312	379	150	0	159	952	0	242	2647	0
Turn Type	Prot		Perm	Prot			Prot			Prot		
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases			4									
Detector Phases	7	4	4	3	8		5	2		1	6	
Minimum Initial (s)	5.0	12.0	12.0	5.0	12.0		5.0	30.0		5.0	30.0	
Minimum Split (s)	11.0	18.0	18.0	11.0	18.0		11.0	36.0		11.0	36.0	
Total Split (s)	16.0	18.0	18.0	16.0	18.0	0.0	14.0	48.0	0.0	28.0	62.0	0.0
Total Split (%)	14.5%	16.4%	16.4%	14.5%	16.4%	0.0%	12.7%	43.6%	0.0%	25.5%	56.4%	0.0%
Yellow Time (s)	4.0	4.0	4.0	4.0	4.0		4.0	4.0		4.0	4.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lead/Lag	Lead	Lag	Lag	Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None	None	None	None		None	Min		None	None	
Act Effct Green (s)	12.0	14.0	14.0	12.0	14.0		10.0	48.0		20.0	58.0	
Actuated g/C Ratio	0.11	0.13	0.13	0.11	0.13		0.09	0.44		0.18	0.53	
v/c Ratio	0.93	0.17	0.99	1.01	0.47		0.99	0.43		0.75	0.99	
Control Delay	97.9	44.9	77.4	98.5	16.6		118.9	21.0		50.6	41.2	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	97.9	44.9	77.4	98.5	16.6		118.9	21.0		50.6	41.2	
LOS	F	D	E	F	B		F	C		D	D	
Approach Delay		81.8			75.3			35.0			42.0	
Approach LOS		F			E			C			D	

Intersection Summary:

Cycle Length: 110
 Actuated Cycle Length: 110
 Natural Cycle: 110
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 1.01
 Intersection Signal Delay: 48.1
 Intersection Capacity Utilization 88.6%
 Analysis Period (min) 15
 Intersection LOS: D
 ICU Level of Service E

Splits and Phases: 8: Shropshire Boulevard & Dessau Road



Dessau - Shropshire Driveway Analysis
 8: Shropshire Boulevard & Dessau Road


PM Peak
 Build Out Conditions

	EBL	EBL	EBL	WB	WB	WB	WB	WB	WB	WB	WB	WB
Lane Configurations	↘	↑	↑	↘	↘	↘	↘	↑↑↑	↑	↑↑↑	↑↑↑	↑↑↑
Total Lost Time (s)	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Satd. Flow (prot)	1770	1863	1583	3433	1643	0	1770	5009	0	1770	5009	0
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1770	1863	1583	3433	1643	0	1770	5009	0	1770	5009	0
Satd. Flow (RTOR)			91		105			21			16	
Volume (vph)	240	43	84	191	51	187	309	2286	245	168	886	98
Lane Group Flow (vph)	261	47	91	208	258	0	336	2751	0	183	1070	0
Turn Type	Prot		Perm	Prot			Prot			Prot		
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases			4									
Detector Phases	7	4	4	3	8		5	2		1	6	
Minimum Initial (s)	5.0	12.0	12.0	5.0	12.0		5.0	30.0		5.0	30.0	
Minimum Split (s)	11.0	18.0	18.0	11.0	18.0		11.0	36.0		11.0	36.0	
Total Split (s)	22.0	22.0	22.0	18.0	18.0	0.0	43.0	82.0	0.0	18.0	57.0	0.0
Total Split (%)	15.7%	15.7%	15.7%	12.9%	12.9%	0.0%	30.7%	58.6%	0.0%	12.9%	40.7%	0.0%
Yellow Time (s)	4.0	4.0	4.0	4.0	4.0		4.0	4.0		4.0	4.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lead/Lag	Lead	Lag	Lag	Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None	None	None	None		None	Min		None	None	
Act Effct Green (s)	18.0	18.4	18.4	13.6	14.0		31.6	78.0		14.0	60.4	
Actuated g/C Ratio	0.13	0.13	0.13	0.10	0.10		0.23	0.56		0.10	0.43	
v/c Ratio	1.14	0.19	0.32	0.82	1.00		0.84	0.98		1.03	0.49	
Control Delay	157.0	56.9	13.4	68.8	91.6		60.1	43.5		136.8	30.1	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	157.0	56.9	13.4	68.8	91.6		60.1	43.5		136.8	30.1	
LOS	F	E	B	E	F		E	D		F	C	
Approach Delay		112.4			81.4			45.3			45.7	
Approach LOS		F			F			D			D	

Intersection Summary:

Cycle Length: 140
 Actuated Cycle Length: 140
 Natural Cycle: 140
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 1.14
 Intersection Signal Delay: 53.8
 Intersection Capacity Utilization 99.8%
 Analysis Period (min) 15
 Intersection LOS: D
 ICU Level of Service F

Splits and Phases: 8: Shropshire Boulevard & Dessau Road



Dessau - Shropshire Driveway Analysis
 21: Shropshire Boulevard & Driveway 3

AM Peak
 Build Out Conditions



Intersection	THRU	RIGHT	LEFT	THRU	RIGHT	LEFT
Lane Configurations		4	1		4	
Sign Control		Free	Free		Stop	
Grade		0%	0%		0%	
Volume (veh/h)	6	379	150	24	43	2
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Hourly flow rate (vph)	7	412	163	26	47	2
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type					None	
Median storage (veh)						
Upstream signal (ft)			209			
pX, platoon unblocked					601	176
vC, conflicting volume	189					
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	189				601	176
tC, single (s)	4.1				6.4	6.2
tC, 2 stage (s)						
tF (s)	2.2				3.5	3.3
p0 queue free %	100				90	100
cM capacity (veh/h)	1385				461	867

Direction	THRU	RIGHT	LEFT
Volume Total	418	189	49
Volume Left	7	0	47
Volume Right	0	26	2
cSH	1385	1700	471
Volume to Capacity	0.00	0.11	0.10
Queue Length 95th (ft)	0	0	9
Control Delay (s)	0.2	0.0	13.5
Lane LOS	A		B
Approach Delay (s)	0.2	0.0	13.5
Approach LOS			B

Intersection Summary			
Average Delay		1.1	
Intersection Capacity Utilization	34.7%		ICU Level of Service
Analysis Period (min)		15	A

Dessau - Shropshire Driveway Analysis
 21: Shropshire Boulevard & Driveway 3

PM Peak
 Build Out Conditions



	EBK	WBK	WBK	SBK	SBK
Lane Configurations	4	4	4	4	4
Sign Control	Free	Free		Stop	
Grade	0%	0%		0%	
Volume (veh/h)	4	188	333	91	98
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92
Hourly flow rate (vph)	4	204	362	99	107
Pedestrians					
Lane Width (ft)					
Walking Speed (ft/s)					
Percent Blockage					
Right turn flare (veh)					
Median type				None	
Median storage veh					
Upstream signal (ft)			209		
pX, platoon unblocked					
vC, conflicting volume	461			624	411
vC1, stage 1 conf vol					
vC2, stage 2 conf vol					
vCu, unblocked vol	461			624	411
tC, single (s)	4.1			6.4	6.2
tC, 2 stage (s)					
tF (s)	2.2			3.5	3.3
p0 queue free %	100			76	97
cM capacity (veh/h)	1100			447	640

Direction	Volume	Capacity	LOS
Volume Total	209	461	123
Volume Left	4	0	107
Volume Right	0	99	16
cSH	1100	1700	466
Volume to Capacity	0.00	0.27	0.26
Queue Length 95th (ft)	0	0	26
Control Delay (s)	0.2	0.0	15.5
Lane LOS	A		C
Approach Delay (s)	0.2	0.0	15.5
Approach LOS			C

Intersection Summary			
Average Delay		2.5	
Intersection Capacity Utilization		36.1%	ICU Level of Service
Analysis Period (min)		15	A



MEMORANDUM

TO: Sherri Sirwaitis, Case Manager
Members of the City Council

FROM: Amy Link, Transportation Review

DATE: June 15, 2006

SUBJECT: Median Break in Shropshire Boulevard
Case Number – C14-05-0176 and C14-05-0177

In response to questions raised by the City Council regarding a possible median break in Shropshire Boulevard, the following information is provided.

Based upon information provided by Trey Gamble, P.E., of Alliance Transportation Group, if driveway access from the northern tract to Shropshire Boulevard was shifted further west to align with a possible median break in Shropshire Boulevard, adequate sight distance is currently available to accommodate traffic accessing this driveway.

Sight Distance		
Movement	Minimum Required Site Distance	Measured Sight Distance
Left Turn	331 feet	612 feet
Right Turn	287 feet	290 feet

An intersection analysis of the relocated driveway as well as the intersection of Shropshire Boulevard and Dessau Road was also performed to assess the impact of a full function driveway resulting from the addition of a median break in Shropshire Boulevard. As depicted in the following table, the level of service will remain acceptable.

Level of Service		
Intersection	2007 Site + Forecasted	
	AM	PM
Shropshire and Dessau	D	D
Shropshire and Driveway 3	A	A

If you have any questions or require additional information, please contact me at 974-2628.

Amy Link
Amy Link
Senior Planner~ Transportation Review Staff

PUBLIC HEARING INFORMATION

This zoning/rezoning request will be reviewed and acted upon at two public hearings: before the Land Use Commission and the City Council. Although applicants and/or their agent(s) are expected to attend a public hearing, you are not required to attend. However, if you do attend, you have the opportunity to speak FOR or AGAINST the proposed development or change. You may also contact a neighborhood or environmental organization that has expressed an interest in an application affecting your neighborhood.

During its public hearing, the board or commission may postpone or continue an application's hearing to a later date, or may evaluate the City staff's recommendation and public input forwarding its own recommendation to the City Council. If the board or commission announces a specific date and time for a postponement or continuation that is not later than 60 days from the announcement, no further notice is required.

During its public hearing, the City Council may grant or deny a zoning request, or rezone the land to a less intensive zoning than requested but in no case will it grant a more intensive zoning.

However, in order to allow for mixed use development, the Council may add the MIXED USE (MU) COMBINING DISTRICT to certain commercial districts. The MU Combining District simply allows residential uses in addition to those uses already allowed in the seven commercial zoning districts. As a result, the MU Combining District allows the combination of office, retail, commercial, and residential uses within a single development.

For additional information on the City of Austin's land development process, visit our website:

www.ci.austin.tx.us/development

Written comments must be submitted to the board or commission (or the contact person listed on the notice) before or at a public hearing. Your comments should include the board or commission's name, the scheduled date of the public hearing, and the Case Number and the contact person listed on the notice.

Case Number: C14-05-0176

Contact: Sherri Sirwaitis, (512) 974-3057

Public Hearing:

March 21, 2006 Zoning and Platting Commission

LYNN KAISER

Your Name (please print)

11815 ROTHERHAM DR

Your address(es) affected by this application

Lynn Kaiser

Signature

3/12/06

Date



Comments:

When I moved here in 1985, I was told that the creek was under a 100 year flood "plain" and nothing could be built on the other side.

Also, this area is already an extremely dangerous curve and many wrecks have occurred.

If you use this form to comment, it may be returned to:

City of Austin

Neighborhood Planning and Zoning Department

Sherri Sirwaitis

P. O. Box 1088

Austin, TX 78767-8810

Written comments must be submitted to the board or commission (or the contact person listed on the notice) before or at a public hearing. Your comments should include the board or commission's name, the scheduled date of the public hearing, and the Case Number and the contact person listed on the notice.

Case Number: C14-05-0176
Contact: Sherri Sirwaitis, (512) 974-3057
Public Hearing:
March 21, 2006 Zoning and Platting Commission



Beverly Gill
Your Name (please print)
1915 Rotherham Dr.
Your address(es) affected by this application

3/10/06
Date

Signature

Comments: I object because there is not enough land there and it may possibly affect the creek and the construction is bad to.

I love looking out my back window and seeing the trees. Let's leave some trees in this vastly growing area. Thank you and have a blessed day.

If you use this form to comment, it may be returned to:
City of Austin
Neighborhood Planning and Zoning Department
Sherri Sirwaitis
P. O. Box 1088
Austin, TX 78767-8810

Written comments must be submitted to the board or commission (or the contact person listed on the notice) before or at a public hearing. Your comments should include the board or commission's name, the scheduled date of the public hearing, and the Case Number and the contact person listed on the notice.

Case Number: C14-05-0176
Contact: Sherri Sirwaitis, (512) 974-3057
Public Hearing:
March 21, 2006 Zoning and Platting Commission



Mary Quintero
Your Name (please print)
11700 Long Ridge Lane
Your address(es) affected by this application

3-15-06
Date

Signature

Comments:

I object because of the beautiful oak trees in that area that would have to be destroyed

If you use this form to comment, it may be returned to:
City of Austin
Neighborhood Planning and Zoning Department
Sherri Sirwaitis
P. O. Box 1088
Austin, TX 78767-8810

